

## Classic Globe (GLS) Frosted B22 5.2W (40W) 2700K 470lm Non-Dimmable 300 deg Beam Angle

Partcode: ILGLSB22NC076 / Page: 1



The Classic Full Glass Frosted range mirror the look of traditional light bulbs that have been used widely in homes for decades. These attractive and lightweight bulbs are almost indistinguishable from frosted tungsten filament bulbs, but are far more efficient with a much longer life. These lamps can be instantly retrofit into existing fittings so you can immediately benefit from their high lm/W efficacy.

### Product Details

Partcode: ILGLSB22NC076

Check Code: 437907

Range Name: Classic

Placement / Application: Indoor, General Lighting

Market Segment: Commercial indoor, Residential indoor

Product Type: GLS

Warranty: 2 Years

CE / RoHS: Yes

### Physical Data

Lamp Base: B22

Base Type: Bayonet cap

Globe Type: Classic Globe (GLS)

Globe Finish: Frosted

Material: Aluminium, Glass

Construction: glass shell, filament strip, Aluminium Base

**Physical Data**

Length: 106mm  
Width: 60mm  
Diameter: 60mm  
Weight (Unpackaged Single Unit): 60g  
Lamp or Luminaire Shape: Round  
Lamp Fixing: Pendant, Wall


**Electrical Data**

Voltage Range: 220-240V  
Power Consumption: 5.2 Watts  
Driver included: Yes  
Electric Current: AC  
Ampage: 42.00mA  
Frequency Range: 50/60 Hz  
Power Factor:  $\geq 0.50$   
Wattage Equivalent: 40 Watts  
Dimming: Non-dimmable  
Compatible Dimmer(s): Varilight  
LVD Certified: Yes  
EN: EN-62560

**Light Data**

Lumens: 470lm  
Lumens per Watt: 90.0lm/W  
Beam Angle: 300°  
Correlated Colour Temperature (CCT): 2700k  
Colour Temperature: Warm  
Colour Rendering Index (CRI):  $\geq 80$   
LED Type: Filament chip  
Instant on - Less than 1 second: Yes  
Lifetime: 15,000 hrs  
Switching Cycles:  $>7,500$  X

## Environmental



Energy Rating: A+

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 45 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

## Packaging



EAN Barcode (unit of 1): 5055788234623

Packaged Weight (Unit of 1): 82g

Length (unit of 1): 65mm

Width (unit of 1): 65mm

Depth (unit of 1): 120mm

**Outer packaging info available on website**

*Product data last updated on: Thursday, March 12, 2020 - 12:13*