

**Candle Full Glass Omni-Lamp 4.5W (40W) 2700K 470lm E27 Dimmable 300 deg Beam Angle**

*Partcode: ILCANDE27DC042 / Page: 1*



Integral Filament Omni Lamps utilise Filament LED technology and a full-glass body to create a decorative look and wide beam angle that looks fantastic in chandeliers and fittings where the lamp is exposed. These retrofit lamps are highly efficient and are an ideal replacement for traditional tungsten filament bulbs.

**Product Details**

Partcode: ILCANDE27DC042

Check Code: 712482

Range Name: Omni

Placement / Application: Indoor, General Lighting

Market Segment: Commercial indoor, Residential indoor

Product Type: Candle

Warranty: 2 Years

CE / RoHS: Yes

**Physical Data**

Lamp Base: E27

Base Type: Edison screw

Globe Type: Candle

Globe Finish: Clear

Material: Glass

Construction: Glass shell, Filament strip

*Partcode: ILCANDE27DC042 / Page: 2*

### **Physical Data**

Length: 92mm

Width: 35mm

Weight (Unpackaged Single Unit): 19g

Lamp or Luminaire Shape: Oval

Lamp Fixing: Pendant, Wall

### **Electrical Data**

Voltage Range: 220-240V

Power Consumption: 4.5 Watts

Driver included: Yes

Electric Current: AC

Ampage: 27.00mA

Frequency Range: 50 Hz

Power Factor:  $\geq 0.70$

Wattage Equivalent: 40 Watts

Dimming: Dimmable with compatible dimmers

Compatible Dimmer(s): Varilight JQP401W

LVD Certified: Yes

EN: EN-62560

### **Light Data**

Lumens: 470lm

Lumens per Watt: 104.0lm/W

Beam Angle: 300°

Correlated Colour Temperature (CCT): 2700k

Colour Temperature: Warm

Colour Rendering Index (CRI):  $\geq 80$


LED Type: Filament chip

Instant on - Less than 1 second: Yes

Lifetime: 15,000 hrs

Switching Cycles:  $>7,500$  X

## Environmental



Energy Rating: A++

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 45 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

## Packaging



EAN Barcode (unit of 1): 5055788221890

Packaged Weight (Unit of 1): 69g

Length (unit of 1): 108mm

Width (unit of 1): 42mm

Depth (unit of 1): 42mm

**Outer packaging info available on website**

*Product data last updated on: Wednesday, September 11, 2019 - 16:39*