

**Classic Mini Globe Frosted 2.9W (25W) 5000K 250lm Non-Dimmable 280 deg Beam Angle***Partcode: ILGOLFE14NF039 / Page: 1*

Introducing attractive frosted full-glass classic lamps that mirror the look of traditional pearl light bulbs. These lamps look practically indistinguishable from the familiar filament bulbs that have been used for decades.

A wide beam angle will fill your space with Daylight (5000K) colour temperature light.

**Product Details**

Partcode: ILGOLFE14NF039

Check Code: 274361

Range Name: Classic

Placement / Application: Indoor, General Lighting

Market Segment: Commercial indoor, Residential indoor

Product Type: Mini Globe

Warranty: 2 Years

CE / RoHS: Yes

**Physical Data**

Lamp Base: E14

Base Type: Small Edison screw

Globe Type: Mini Globe

Globe Finish: Frosted

Material: Aluminium, Glass

Construction: glass shell, filament strip, Aluminium Base

**Physical Data**

Length: 73mm

Width: 45mm

Diameter: 45mm

Weight (Unpackaged Single Unit): 18g

Lamp or Luminaire Shape: Round

Lamp Fixing: Pendant, Wall

**Electrical Data**

Voltage Range: 220-240V

Power Consumption: 2.7 Watts

Driver included: Yes

Electric Current: AC

Ampage: 22.00mA

Frequency Range: 50/60 Hz

Power Factor:  $\geq 0.40$

Wattage Equivalent: 25 Watts

Dimming: Non-dimmable

Compatible Dimmer(s): Varilight

LVD Certified: Yes

EN: EN-62560

**Light Data**

Lumens: 250lm

Lumens per Watt: 93.0lm/W

Beam Angle: 280°

Correlated Colour Temperature (CCT): 5000k

Colour Temperature: Daylight

Colour Rendering Index (CRI):  $\geq 80$


LED Type: Surface mounted device (SMD)

Instant on - Less than 1 second: Yes

Lifetime: 15,000 hrs

Switching Cycles:  $>7,500$  X

## Environmental



Energy Rating: A+

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 45 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

## Packaging



EAN Barcode (unit of 1): 5055788232391

Packaged Weight (Unit of 1): 38g

Length (unit of 1): 50mm

Width (unit of 1): 50mm

Depth (unit of 1): 90mm

**Outer packaging info available on website**

*Product data last updated on: Thursday, March 12, 2020 - 12:14*