

## WarmTone Classic Globe (GLS) 9.5W (60W) 1800-2700K 806lm B22 Dimmable Lamp

Partcode: ILGLSB22DC085 / Page: 1



The dimmer the light, the warmer the colour - Integral WarmTone LED Lamps are ideal for bringing a cosy atmosphere to your home or hospitality environments.

By using advanced LED dimming technology, the WarmTone range closely resembles the dimming performance of halogen or incandescent lamps, which naturally get warmer in tone as they dim to lower levels of luminosity. The Warmtone range combines the aesthetic benefits of traditional lighting technologies with the energy efficiency and long lifetime of LED.

[Watch Video](#)

### Product Details

Partcode: ILGLSB22DC085

Check Code: 070404

Range Name: WarmTone

Placement / Application: Indoor, General Lighting

Market Segment: Commercial indoor, Residential indoor

Product Type: GLS

Warranty: 2 Years

CE / RoHS: Yes

### Physical Data

Lamp Base: B22

Base Colour: Matt white

Globe Finish: Frosted

Construction: Plastic

**Physical Data**

Length: 108mm

Width: 60mm

Weight (Unpackaged Single Unit): 87g

Lamp or Luminaire Shape: Round

**Electrical Data**

Voltage Range: 220-240V

Power Consumption: 9.5 Watts

Electric Current: AC

Ampage: 44.00mA

Frequency Range: 50 Hz

Power Factor:  $\geq 0.50$

Wattage Equivalent: 60 Watts

Dimming: Dimmable with compatible dimmers

LVD Certified: Yes

EN: EN-62560

**Light Data**

Lumens: 806lm

Lumens per Watt: 85.0lm/W

Beam Angle: 210°

Correlated Colour Temperature (CCT): 1800-2700k

Colour Temperature: Ultra Warm to Warm White

Colour Rendering Index (CRI):  $\geq 80$


LED Type: Surface mounted device (SMD)

Instant on - Less than 1 second: Yes

Lifetime: 15,000 hrs

Switching Cycles:  $>7,500$  X

## Environmental



Energy Rating: A+

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 40 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

## Packaging



EAN Barcode (unit of 1): 5055788240259

Packaged Weight (Unit of 1): 100g

Length (unit of 1): 120mm

Width (unit of 1): 65mm

Depth (unit of 1): 65mm

**Outer packaging info available on website**

*Product data last updated on: Wednesday, September 11, 2019 - 17:11*