


Lightspan Slim batten 6ft 72W 4000K 8640lm

Partcode: ILBTF074 / Page: 1



This highly efficient and attractive LED batten features a compact, low-profile body with a stylish brushed aluminium finish that will look great in offices, schools and other commercial or public sector environments. These battens run at a highly efficient 120lm/W so you can drastically reduce your energy costs over legacy technology luminaires.

Product Details

Partcode: ILBTF074

Check Code: 235952

Range Name: Lightspan Slim

Product Type: Battens

Warranty: 3 Years

CE / RoHS: Yes

Physical Data

Product Finish: Brushed aluminium

Optic: Polycarbonate

Material: Aluminium

Physical Data

Length: 1 800mm

Width: 72mm

Depth: 38mm

Weight (Unpackaged Single Unit): 1150g

Luminaire Fixing: Ceiling

Electrical Data

Voltage Range: 220-240V

Power Consumption: 72.0 Watts

Electric Current: AC

Frequency Range: 50/60Hz Hz

Power Factor: ≥ 0.90

Dimming: Non-dimmable

LVD Certified: Yes

Light Data

Lumens: 8,640lm

Lumens per Watt: 120.0lm/W

Beam Angle: 120°

Correlated Colour Temperature (CCT): 4000k


Colour Temperature: Cool White

Colour Rendering Index (CRI): ≥ 80

Lifetime: 35,000 hrs

Switching Cycles: $> 100,000$ X

Environmental



IK (Impact Protection) Rating: 8

IP (Ingress Protection) Rating: IP20

Packaging

EAN Barcode (unit of 1): 5055788243069

Packaged Weight (Unit of 1): 1,425g

Length (unit of 1): 1,805mm

Width (unit of 1): 77mm

Depth (unit of 1): 42mm

Outer packaging info available on website

Product data last updated on: Tuesday, February 25, 2020 - 18:44