

## Classic Globe (GLS) 8.6W (60W) 2700K 806lm B22 Non-Dimmable Frosted Lamp

Partcode: ILGLSB22NC089 / Page: 1



This 8.6W great all-purpose retrofit Integral LED Classic Globe (GLS) delivers a daylight output equivalent to 60W, offering big energy savings over equivalent incandescent bulbs. With a 806 lumen output and frosted finish this lamp is ideal for rooms with a single pendant fitting, living rooms, hallways and kitchens.

### Product Details

Partcode: ILGLSB22NC089

Check Code: 251216

Range Name: Everyday

Placement / Application: Indoor, General Lighting

Market Segment: Commercial indoor, Residential indoor

Product Type: GLS

Warranty: 2 Years

CE / RoHS: Yes

### Physical Data

Lamp Base: B22

Base Type: Bayonet cap

Base Colour: Matt white

Globe Type: Classic Globe (GLS)

Globe Finish: Frosted

Product Finish: Matt white

Construction: Plastic and Aluminium heat sink, polycarbonate diffuser, Nickel plated brass base

Partcode: ILGLSB22NC089 / Page: 2

### Physical Data

Length: 108mm  
Width: 60mm  
Diameter: 60mm  
Weight (Unpackaged Single Unit): 32g  
Lamp or Luminaire Shape: Round  
Lamp Fixing: Pendant, Wall


### Electrical Data

Voltage Range: 220-240V  
Power Consumption: 8.6 Watts  
Driver included: Yes  
Electric Current: AC  
Ampage: 75.00mA  
Frequency Range: 50/60 Hz  
Power Factor:  $\geq 0.50$   
Wattage Equivalent: 60 Watts  
Dimming: Non-dimmable  
LVD Certified: Yes  
EN: EN-62560

### Light Data

Lumens: 806lm  
Lumens per Watt: 94.0lm/W  
Beam Angle: 220°  
Correlated Colour Temperature (CCT): 2700k  
Colour Temperature: Warm  
Colour Rendering Index (CRI):  $\geq 80$   
LED Type: Filament chip  
Instant on - Less than 1 second: Yes  
Lifetime: 15,000 hrs  
Switching Cycles:  $>7,500$  X

## Environmental



Energy Rating: A+

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 40 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

## Packaging



EAN Barcode (unit of 1): 5055788249825

Packaged Weight (Unit of 1): 49g

Length (unit of 1): 108mm

Width (unit of 1): 60mm

Depth (unit of 1): 60mm

**Outer packaging info available on website**

Product data last updated on: Wednesday, February 12, 2020 - 18:56