

**Candle 5.4W (40W) 2700K 470lm E27 Non-Dimmable Clear Lamp***Partcode: ILCANDE27NC018 / Page: 1*

This 5.4W retro-fit Integral LED Candle (clear finish, large screw, white base) delivers a warm light and brightness, similar to a 40W filament bulb. It features high output LEDs and an anti-glare refractor. Ideal for living rooms, dining rooms, bedrooms and hotels, in classic or modern wall or floor/table lamp fittings and chandeliers.

**Product Details**

Partcode: ILCANDE27NC018

Check Code: 557746

Range Name: Everyday

Product Type: Candle

Warranty: 2 Years

CE / RoHS: Yes

**Physical Data**

Lamp Base: E27

Base Type: Edison screw

Base Colour: Matt white

Globe Type: Candle

Globe Finish: Clear

Material: Plastic, Aluminium, Polycarbonate, Nickel plated brass

Construction: Aluminium and Plastic heat-sink, Injection moulded diffuser

*Partcode: ILCANDE27NC018 / Page: 2*

### **Physical Data**

Length: 112mm  
Width: 38mm  
Weight (Unpackaged Single Unit): 73g  
Lamp or Luminaire Shape: Oval  
Lamp Fixing: Chandelier, Pendant, Wall


### **Electrical Data**

Voltage Range: 220-240V  
Power Consumption: 5.4 Watts  
Driver included: Yes  
Driver IC Manufacturer: Silergy  
Electric Current: AC  
Ampage: 55.00mA  
Frequency Range: 50 Hz  
Power Factor:  $\geq 0.50$   
Wattage Equivalent: 40 Watts  
Dimming: Non-dimmable  
LVD Certified: Yes  
EN: EN-62560

### **Light Data**

Lumens: 470lm  
Lumens per Watt: 87.0lm/W  
Beam Angle: 280°  
Correlated Colour Temperature (CCT): 2700k  
Colour Temperature: Warm  
Colour Rendering Index (CRI):  $\geq 80$   
LED Type: Surface mounted device (SMD)  
Instant on - Less than 1 second: Yes  
Lifetime: 15,000 hrs  
Switching Cycles:  $>12,500$  X

## Environmental



Energy Rating: A+

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 40 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

## Packaging



EAN Barcode (unit of 1): 5055788210122

Packaged Weight (Unit of 1): 99g

Length (unit of 1): 125mm

Width (unit of 1): 48mm

Depth (unit of 1): 48mm

**Outer packaging info available on website**

Product data last updated on: Tuesday, February 11, 2020 - 19:18