

**Classic Filament Globe (GLS) Frosted E27 7W (60W) 2700K 806lm
Dimmable 300 deg Beam Angle**

Partcode: ILGLSE27DC095 / Page: 1



As LED products are produced using new technologies and used with old dimmer technology, achieving effective and smooth dimming can be challenging. For this dimmable lamp we have tested, and recommend, the dimmer detailed in the specification below.

The Classic Full Glass Frosted lamp utilises Filament LED technology to create a decorative look and wide beam angle that looks fantastic in fittings where the lamp is exposed. These retrofit lamps are highly efficient and are an ideal replacement for traditional tungsten filament bulbs.

Product Details

Partcode: ILGLSE27DC095

Check Code: 779391

Range Name: Classic

Placement / Application: Indoor, General Lighting

Market Segment: Commercial indoor, Residential indoor

Product Type: GLS

Warranty: 2 Years

CE / RoHS: Yes

Physical Data

Lamp Base: E27

Base Type: Edison screw

Globe Type: Classic GLS

Globe Finish: Frosted

Material: Aluminium, Glass

Construction: glass shell, filament strip, Aluminium Base

Physical Data

Length: 104mm
Width: 60mm
Diameter: 60mm
Weight (Unpackaged Single Unit): 33g
Lamp or Luminaire Shape: Round
Lamp Fixing: Pendant, Wall


Electrical Data

Voltage Range: 220-240V
Power Consumption: 7.0 Watts
Driver included: Yes
Electric Current: AC
Ampage: 42.00mA
Frequency Range: 50/60 Hz
Power Factor: ≥ 0.50
Wattage Equivalent: 60 Watts
Dimming: Dimmable with compatible dimmers
Compatible Dimmer(s): Varilight
LVD Certified: Yes
EN: EN-62560

Light Data

Lumens: 806lm
Lumens per Watt: 115.0lm/W
Beam Angle: 300°
Correlated Colour Temperature (CCT): 2700k
Colour Temperature: Warm
Colour Rendering Index (CRI): ≥ 80
LED Manufacturer: Bridgelux
LED Type: Filament chip
Instant on - Less than 1 second: Yes
Lifetime: 15,000 hrs
Switching Cycles: $>7,500$ X

Environmental



Energy Rating: A++

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 40 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

Packaging



EAN Barcode (unit of 1): 5055788251941

Packaged Weight (Unit of 1): 63g

Length (unit of 1): 120mm

Width (unit of 1): 65mm

Depth (unit of 1): 65mm

Outer packaging info available on website

Product data last updated on: Thursday, March 12, 2020 - 09:02